

Generation 2

**sycloid®**  
TOASTER



Speed - Quality - Without Compromise



# LÖLSBERG

## Roband Toaster

**syncloid®**  
TOASTER

### The Perfect Breakfast Buffet Companion

**NEW**

Lid with internal air cooling and ventilation system for residual heat utilisation from the heating elements to keep the toast warm in the dispensing area

Hinged top cover with internal air cooling allowing easy access to clean inside (details see page 4)

Will toast bread & buns up to 30mm thickness

Adjustable speed control to modify the toasting time with electronic setting lock feature (details see page 4)

Auto-sensing feature conserves energy during quiet times with minimal impact to the user

"Cool to Touch"  
Safe external touch temperatures



**ROBAND**

**syncloid®**  
TOASTER

Light On - Toasting  
Heat Flash - Preparing To Heat  
Heat Flash - Bungee Safety

Bun mode to toast cut side of bun up to 30mm & warm crown (details see page 4)

Slide-out crumb tray for every-day-cleaning (details see page 4)

LED lights illuminate toast holding bay (details see page 4)





## Special Features

### The stylish and intelligent Sycloid® toaster

Elegantly designed and crafted, the second generation of the revolutionary Sycloid® toaster sets a new standard for high speed toast production. The Sycloid's stylish exterior houses a cleverly engineered machine that provides truly functional energy efficient operation and an outstanding toasting result time after time.

- The Sycloid® toaster made of robust and durable stainless steel elements has a capacity to produce up to 500 slices per hour.
- Patron and staff safety is paramount and the Sycloid® toaster has been designed with “cool to touch” safe external touch temperatures and a locking latch for a lid with internal air cooling and ventilation system.
- The radiant heat from the heating elements is also used to keep the slices warm in the toast chute and dispense area.
- A slide-out crumb tray for every-day cleaning and a hinged top cover allowing easy access to clean the inside.
- A user-friendly and reliable speed controller allows adjustment of the toasting time to account for different types of bread or buns to be toasted. The knob setting lock feature allows staff to set the toasting speed, removing the risk of patrons altering the setting. The new bun toast feature allows for toasting bun halves up to 30 mm thick and up to 110 mm diameter. The Sycloid balances heat to perfectly toast on the cut side – whilst warming the crown.
- Diners can easily see when their toast is ready from across the buffet with the stylishly sculpted toast return chute with LED lighting that provides easy and illuminated viewing of the toast holding bay.
- Featuring robust stainless steel elements, the Sycloid® toaster also features a modern brushed stainless steel exterior, perfect for disguising finger prints on a machine expected to be heavily used.
- Available in silver, red or black.



- Intelligent energy efficient design - an automatic power-save mode conserves energy during quiet periods by scaling back energy consumption when in toast mode. The intelligent auto-sense feature detects when a new slice is placed in the machine and automatically prepares the machine to toast the bread. The heat setting in this mode is balanced and optimized to ensure quick recovery.



# LÖLSBERG

## Specifications

Toasting speed controller with electronic lock setting feature



Indicator light for auto-sensing feature



Bun toasting mode (up to 30mm thickness)



Removable crumb tray for ease of cleaning




Lid-lock release lever to lift lid



LED lights illuminate the toast holding bay




Hinged top cover for easy access to clean inside



Model	Colour	Slices/Hr	Current (Amps)	Power (Watts)	Dimensions WxDxH (mm)	Weight (kg)
<b>ST500A-F</b>	Silver	500	16	2990	412 x 596 x 421	25
<b>ST500AR-F</b>	Red	500	16	2990	412 x 596 x 421	25
<b>ST500AB-F</b>	Black	500	16	2990	412 x 596 x 421	25

220-240V 50-60Hz

## Dimensions



**ROBAND**

distributed by

**LÖLSBERG**

Roband Australia Pty Ltd,  
1 Inman Road,  
Cromer, NSW 2099  
Australia  
Tel: +61 2 9971 1788  
Fax: +61 2 9971 1336  
Email: roband@roband.com.au  
www.roband.com.au

LÖLSBERG, Inh. Bernd Lölsberg  
Otto-Hahn-Straße 9a  
97230 Estenfeld  
Deutschland  
Tel: +49 (0) 9305 98978-0  
Fax: +49 (0) 9305 98978-88  
Email: info@loelsberg.de  
www.loelsberg.de

Your Contact:

0519

LÖLSBERG is exclusive distributor for Roband products in following countries: Germany and Austria.

Without engagement - no responsibility is taken for the correctness of this information. Pictures © 2017 Roband Australia.